

Bringing Skills to the NBN

What are the key jobs on the NBN?

NBN Installer – to install NBN equipment in homes and businesses

NBN Linesworker – to haul cable, construct pit and pipe, rod & rope

NBN Splicer – to splice, test and commission fibre cable

What VET qualifications are best?

The following are the best pathways and are recommended but not mandatory for work on the NBN:

To find out more:

www.nbnco.com.au/workforce

Am I eligible for funding:

Ask your Registered Training Organisation (RTO)

Installer	Linesworker	Installer/linesworker	Splicer
<p>CII Telecommunications ICT20210</p> <p>ICTWOR2141A Work effectively in a telecommunications technology team</p> <p>ICTCBL2064A Haul underground cable</p> <p>ICTCBL2131A Install an above ground equipment enclosure</p> <p>ICTCBL2133A Construct underground telecommunications infrastructure</p> <p>ICTCBL2162A Install a cable lead in</p>	<p>CII Telecommunications ICT20210</p> <p>ICTWOR2141A Work effectively in a telecommunications technology team</p> <p>ICTCBL2005A Install customer cable support systems</p> <p>ICTCBL2006A Place and secure customer cable</p> <p>ICTCBL2162A Install a cable lead in</p> <p>ICTBWN3090B Install lead-in module and cable for fibre to the premises</p>	<p>CIII Telecommunications ICT30210</p> <p>ICTWOR3127A Supervise worksite activities</p> <p>ICTCBL3018A Install underground enclosures and conduit</p> <p>ICTCBL3019A Install underground cable</p> <p>ICTBWN3090B Install lead-in module and cable for fibre to the premises</p>	<p>CIII Telecommunications ICT30210</p> <p>ICTWOR3127A Supervise worksite activities</p> <p>ICTBWN3088A Install optical fibre splitters in fibre distribution hubs</p> <p>ICTBWN3100A Work safely with live fibre to test and commission a fibre to the x installation</p> <p>ICTCBL2065A Splice and terminate optical fibre cable for carriers and service providers</p> <p>ICTCBL3204A Install ribbon fibre cable in the FTTX distribution network</p>
<p>Plus 1 other elective</p>		<p>Plus 2 other electives for the Linesworker/Installer stream and 1 other elective for the Splicer stream</p>	
<p>ICTOHS2153A Work safely near power infrastructure should be included where there is a likelihood of working near power infrastructure</p>			